STREPTOCOCCUS STREP-B-LATEX

- 10 GBS type antisera on latex
- Result in 5-10 seconds
- Easier typing of GBS

STATENS SERUM INSTITUT

prevents and controls infectious diseases, biological threats, and congenital disorders



Statens Serum Institut SSI Diagnostica 2 Herredsvejen 3400 Hillerød Denmark

Tel: +45 4829 9178 Fax: +45 4829 9179 microbiology@ssi.dk www.ssi.dk

Background

The Strep-B-Latex kit is simple and fast to use for serotyping of *S. agalactiae* (GBS). Using the kit, the commonly isolated GBS isolates can be serotyped and placed within all 10 known serotypes (Ia, Ib, - IX).

Application

Overnight bacterial cultures of GBS isolates in Todd-Hewitt broth are mixed with the Strep-B-Latex suspension.

Description

The 10 latex suspensions are ready to use and delivered in 1.5 ml plastic vials with a droplet delivery system, administering approximately 10 μ l. The antibodies in the latex suspension are raised in rabbits against the capsular polysaccharide present in each solution. The latex suspension is preserved with 15 mM (0.0975%) sodium azide.

Procedure

The latex agglutination test is performed as follows:

- 1 droplet (10 μ l) of bacterial suspension is placed on the plastic slide.
- 1 droplet (10 μl) of latex suspension is also placed on the plastic slide.
- The two suspensions are mixed.

A positive reaction is indicated by an agglutination appearing within 5 to 10 seconds.

If the reaction time exceeds 30 seconds, false positive reactions may occur.

Limitations

The Strep-B-Latex kit is intended for typing of pure cultures of GBS isolates, preferably grown in Todd-Hewitt broth.

Storage and shelf life

The kit should be kept in a dark place at 2-8°C. The expiry date is printed on the package.

Ordering and Information

Statens Serum Institut
SSI Diagnostica
2 Herredsvejen
3400 Hillerød
Denmark
Tel.:+45 4829 9178
Fax:+45 4829 9179
microbiology@ssi.dk (inquiries)
ivdorders@ssi.dk (orders)

www.ssi.dk



